

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|---------------------|
| - | 41 | "3" adj com adj corporation | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:14 |
| - | 0 | ("3" adj com adj corporation) and (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:15 |
| - | 0 | ("3" adj com adj corporation) and (reception adj quality) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:15 |
| - | 0 | paul adj fulton | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:15 |
| - | 22 | fulton adj paul | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:15 |
| - | 0 | (fulton adj paul) and (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:15 |
| - | 0 | (fulton adj paul) and (reception adj quality) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:16 |
| - | 266 | performance adj digital adj signal | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:16 |
| - | 0 | (performance adj digital adj signal) and (demodulator and (error adj rate) and (quality adj level)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:28 |
| - | 1 | (performance adj digital adj signal) and (quality adj level) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:34 |
| - | 3 | 375/224.ccls. and (demodulator and (quality adj level)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:20 |
| - | 44379 | (cyclic adj redundancy adj code) or (crc) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:36 |
| - | 23 | ((cyclic adj redundancy adj code) or (crc)) and ((demodulator) and (error adj rate) and (quality adj level)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:26 |
| - | 20 | ((((cyclic adj redundancy adj code) or (crc)) and ((demodulator) and (error adj rate) and (quality adj level))) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:23 |
| - | 0 | (((((cyclic adj redundancy adj code) or (crc)) and ((demodulator) and (error adj rate) and (quality adj level))) and @ad<20001019) and ((forward adj error adj correction) or (fed))) and (packet adj error) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:24 |
| - | 12 | (((((cyclic adj redundancy adj code) or (crc)) and ((demodulator) and (error adj rate) and (quality adj level))) and @ad<20001019) and ((forward adj error adj correction) or (fed))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:54 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 6 | (((((cyclic adj redundancy adj code) or (crc)) and ((demodulator) and (error adj rate) and (quality adj level))) and @ad<20001019) and ((forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:29 |
| - | 1117 | performance adj indicator\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:00 |
| - | 0 | (performance adj indicator\$1) and (demodulator and (error adj rate) and (quality adj level)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:28 |
| - | 66 | (performance adj indicator\$1) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:29 |
| - | 4 | ((performance adj indicator\$1) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:36 |
| - | 4 | ((((performance adj indicator\$1) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) and (error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:31 |
| - | 5383 | (((quality adj level) or (quality adj reception))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:34 |
| - | 520 | (((quality adj level) or (quality adj reception))) and (error adj (rate or calculation)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:35 |
| - | 143 | (((((quality adj level) or (quality adj reception))) and (error adj (rate or calculation))) and demodulator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:35 |
| - | 100 | ((((((quality adj level) or (quality adj reception))) and (error adj (rate or calculation))) and demodulator) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:40 |
| - | 44135 | ((((((quality adj level) or (quality adj reception))) and (error adj (rate or calculation))) and demodulator) and @ad<20001019) and (cyclic adj redundancy adj code) or (crc) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:36 |
| - | 29 | ((((((quality adj level) or (quality adj reception))) and (error adj (rate or calculation))) and demodulator) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:39 |
| - | 11 | ((((((quality adj level) or (quality adj reception))) and (error adj (rate or calculation))) and demodulator) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:40 |
| - | 1152 | quality adj indicator\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:39 |
| - | 171 | (quality adj indicator\$1) and demodulator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:57 |
| - | 73 | ((quality adj indicator\$1) and demodulator) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:43 |

| | | | | |
|---|------|--|---|---------------------|
| - | 24 | ((quality adj indicator\$1) and demodulator) and ((cyclic adj redundancy adj code) or (crc)) and ((forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:59 |
| - | 15 | ((quality adj indicator\$1) and demodulator) and ((cyclic adj redundancy adj code) or (crc)) and ((forward adj error adj correction)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:42 |
| - | 0 | ((quality adj indicator\$1) and demodulator) and ((cyclic adj redundancy adj code) or (crc)) and ((forward adj error adj correction)) and @ad<20001019) and (light adj emitting adj device or (led)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:43 |
| - | 82 | (quality adj indicator\$1) and (light adj emitting adj device or (led)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:43 |
| - | 2 | ((quality adj indicator\$1) and (light adj emitting adj device or (led))) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:59 |
| - | 0 | ((quality adj indicator\$1) and demodulator) and ((cyclic adj redundancy adj code) or (crc)) and ((forward adj error adj correction)) and @ad<20001019) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:44 |
| - | 1 | (quality adj indicator\$1) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:43 |
| - | 0 | ((cyclic adj redundancy adj code) or (crc)) and ((demodulator) and (error adj rate) and (quality adj level))) and @ad<20001019) and ((forward adj error adj correction) or (fed))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:54 |
| - | 1 | (performance adj indicator\$1) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:55 |
| - | 1 | reception adj quality adj indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:57 |
| - | 0 | (reception adj quality adj indicator) and demodulator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:57 |
| - | 2471 | ((antenna or spatial) adj diversity) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:58 |
| - | 1 | ((antenna or spatial) adj diversity)) and (reception adj quality adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:31 |
| - | 1 | ((antenna or spatial) adj diversity)) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 15:59 |
| - | 334 | ((antenna or spatial) adj diversity)) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:29 |
| - | 87 | ((antenna or spatial) adj diversity)) and ((cyclic adj redundancy adj code) or (crc)) and ((forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:29 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 0 | (((((antenna or spatial) adj diversity)) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) and (performance adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:00 |
| - | 1 | (((((antenna or spatial) adj diversity)) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) and (quality adj level) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:30 |
| - | 38514 | (personal adj digital adj assistant) or (pda) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:26 |
| - | 10305 | ((personal adj digital adj assistant) or (pda)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:27 |
| - | 0 | ((personal adj digital adj assistant) or (pda)) and @ad<20001019) and ((performance adj indicator\$1) and (quality adj level) and (error adj rate)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:28 |
| - | 5 | ((personal adj digital adj assistant) or (pda)) and @ad<20001019) and (performance adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:28 |
| - | 268 | ((personal adj digital adj assistant) or (pda)) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:31 |
| - | 13 | (((((personal adj digital adj assistant) or (pda)) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:42 |
| - | 1 | (((((personal adj digital adj assistant) or (pda)) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) and (quality adj level) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:30 |
| - | 0 | (((((personal adj digital adj assistant) or (pda)) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) and (reception adj quality adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:31 |
| - | 0 | ((personal adj digital adj assistant) or (pda)) and (reception adj quality adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:31 |
| - | 42 | ((personal adj digital adj assistant) or (pda)) and (quality adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:33 |
| - | 0 | (((((personal adj digital adj assistant) or (pda)) and @ad<20001019) and ((cyclic adj redundancy adj code) or (crc))) and ((forward adj error adj correction))) and (quality adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:31 |
| - | 4 | ((personal adj digital adj assistant) or (pda)) and (quality adj indicator\$1) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:38 |
| - | 30 | ((personal adj digital adj assistant) or (pda)) and (receiver adj performance) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:35 |
| - | 29 | (measure or calculate or indicate) adj (receiver adj performance) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:37 |

| | | | | |
|---|------|--|---|---------------------|
| - | 10 | ((measure or calculate or indicate) adj (receiver adj performance)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:37 |
| - | 11 | (measure or calculate or indicate) adj (performance adj indicator\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:37 |
| - | 3 | ((measure or calculate or indicate) adj (performance adj indicator\$1)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:41 |
| - | 4044 | (measure or calculate or indicate) adj (performance) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:41 |
| - | 415 | ((measure or calculate or indicate) adj (performance)) and wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:38 |
| - | 42 | ((measure or calculate or indicate) adj (performance)) and wireless) and demodulator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:38 |
| - | 26 | ((measure or calculate or indicate) adj (performance)) and wireless) and demodulator) and (error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:42 |
| - | 4 | ((measure or calculate or indicate) adj (performance)) and wireless) and demodulator) and (error adj rate)) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:42 |
| - | 27 | (measure or calculate or indicate) adj (quality adj level) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:41 |
| - | 13 | ((measure or calculate or indicate) adj (quality adj level)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:41 |
| - | 2 | ((measure or calculate or indicate) adj (quality adj level)) and @ad<20001019) and (error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:42 |
| - | 1 | ((measure or calculate or indicate) adj (quality adj level)) and @ad<20001019) and (error adj rate)) and ((cyclic adj redundancy adj code) or (crc)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:42 |
| - | 1 | ((measure or calculate or indicate) adj (quality adj level)) and @ad<20001019) and (error adj rate)) and ((cyclic adj redundancy adj code) or (crc)) and ((forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:42 |
| - | 0 | (light adj emitting adj device) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:46 |
| - | 697 | (quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:50 |
| - | 413 | ((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:47 |
| - | 314 | ((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:47 |

| | | | | |
|---|----------|---|---|---------------------|
| - | 206 | (((((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless) and demodulator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:47 |
| - | 190 | (((((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless) and demodulator) and performance | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:47 |
| - | 110 | (((((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless) and demodulator) and performance) and indicator\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:48 |
| - | 15 | ((((((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless) and demodulator) and performance) and indicator\$1) and (packet adj error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:48 |
| - | 19668829 | ((((((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless) and demodulator) and performance) and indicator\$1) and (packet adj error adj rate)) an @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:48 |
| - | 12 | ((((((quality) and ((cyclic adj redundancy adj code) or (crc)) and (forward adj error adj correction)) and (error adj rate)) and wireless) and demodulator) and performance) and indicator\$1) and (packet adj error adj rate)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/16 16:48 |
| - | 183 | ((improve or better or maximize) adj (reception adj quality)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:59 |
| - | 0 | ((improve or better or maximize) adj (reception adj quality)) and (electronic adj (device or receiver or system)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:52 |
| - | 111 | ((improve or better or maximize) adj (reception adj quality)) and (receiver) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:52 |
| - | 15 | ((improve or better or maximize) adj (reception adj quality)) and (receiver)) and wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:52 |
| - | 7 | ((improve or better or maximize) adj (reception adj quality)) and (receiver)) and wireless) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:53 |
| - | 1 | ((improve or better or maximize) adj (reception adj quality)) and (receiver)) and wireless) and @ad<20001019) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:08 |
| - | 1 | ((improve or better or maximize) adj (reception adj quality)) and (receiver)) and wireless) and @ad<20001019) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (quality adj level or rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:59 |

| | | | | |
|---|----|---|---|---------------------|
| - | 0 | (((((improve or better or maximize) adj (reception adj quality)) and (receiver)) and wireless) and @ad<20001019) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (quality adj level or rate)) and indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:58 |
| - | 0 | (((((improve or better or maximize) adj (reception adj quality)) and (receiver)) and wireless) and @ad<20001019) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (quality adj (level or rate)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 07:59 |
| - | 0 | (improve or better or maximize) adj (reception adj quality) with (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:00 |
| - | 0 | ((improve or better or maximize) adj (reception adj quality)) with (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:00 |
| - | 0 | ((improve or better or maximize) adj (reception adj quality)) near (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:00 |
| - | 1 | ((improve or better or maximize) adj (reception adj quality)) and (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:02 |
| - | 0 | ((improve or better or maximize) adj (reception adj performance)) and (performance adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:02 |
| - | 7 | ((improve or better or maximize) adj (reception adj performance)) and (indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:02 |
| - | 0 | ((improve or better or maximize) adj (reception adj performance)) and (indicator)) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:07 |
| - | 1 | performance adj level adj indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:12 |
| - | 11 | quality adj level adj indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:09 |
| - | 0 | (quality adj level adj indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:09 |
| - | 40 | quality adj level adj indicat\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:09 |
| - | 0 | (quality adj level adj indicat\$4) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:09 |
| - | 17 | performance adj level adj indicat\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:09 |
| - | 0 | (performance adj level adj indicat\$4) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:11 |

| | | | | |
|---|-------|--|---|---------------------|
| - | 0 | (performance adj level adj indicat\$4) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:37 |
| - | 95014 | display and indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:11 |
| - | 119 | (display and indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:15 |
| - | 0 | ((display and indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and ((performance adj level) and (quality adj level) and (light adj emitting adj device)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:15 |
| - | 0 | ((display and indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and ((light adj emitting adj device)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:13 |
| - | 0 | ((display and indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and ((performance adj level)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:14 |
| - | 14 | ((display and indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (packet adj error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:14 |
| - | 11 | ((display and indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (packet adj error adj rate)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:15 |
| - | 11 | display near (performance adj level) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:15 |
| - | 0 | (display near (performance adj level)) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:18 |
| - | 6 | (display near (performance adj level)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:18 |
| - | 569 | performance adj indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:20 |
| - | 4 | (performance adj indicator) and (demodulator and (cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:18 |
| - | 0 | (performance adj indicator) near (reception adj quality) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:19 |
| - | 0 | (performance adj indicator) near (receiver adj quality) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:19 |
| - | 0 | digital adj performance adj indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:22 |

| | | | | |
|---|------|--|---|---------------------|
| - | 1 | (reduce or delete or minimize or cancel) adj (rayleigh adj fading) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:23 |
| - | 1 | (performance adj indicator) and ((antenna or spatial) adj diversity) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:58 |
| - | 2467 | receiver and (wireless adj signal) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 08:59 |
| - | 2 | (receiver and (wireless adj signal)) and ((determin\$3 or indicat\$3 or estimat\$3 or identify\$3 or provid\$3) adj (error adj rate)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:00 |
| - | 0 | (receiver and (wireless adj signal)) and ((determin\$3 or indicat\$3 or estimat\$3 or identify\$3 or provid\$3) adj (quality adj level)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:04 |
| - | 12 | (receiver and (wireless adj signal)) and ((determin\$3 or indicat\$3 or estimat\$3 or identify\$3 or provid\$3) adj (bit adj error adj rate)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:03 |
| - | 934 | (receiver and (wireless adj signal)) and (indicat\$3 and display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:04 |
| - | 526 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and (quality or reception or (bit adj error adj rate) with (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:08 |
| - | 278 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and (quality or reception or (bit adj error adj rate) with (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:36 |
| - | 114 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and (quality or reception or (bit adj error adj rate) with (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019) and (wireless adj communication\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:36 |
| - | 3 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and (quality or reception or (bit adj error adj rate) with (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019) and (wireless adj communication\$1)) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:37 |
| - | 203 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and ((quality or reception or (bit adj error adj rate)) with (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:12 |
| - | 125 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and ((quality or reception or (bit adj error adj rate)) with (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:09 |
| - | 10 | ((receiver and (wireless adj signal)) and (indicat\$3 and display\$3)) and ((quality or reception or (bit adj error adj rate)) with (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:09 |

| | | | | |
|---|-------|--|---|---------------------|
| - | 22774 | ((quality or reception or (bit adj error adj rate)) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:36 |
| - | 1016 | ((((quality or reception or (bit adj error adj rate)) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:13 |
| - | 488 | (((((quality or reception or (bit adj error adj rate)) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:13 |
| - | 0 | ((((((quality or reception or (bit adj error adj rate)) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:13 |
| - | 0 | ((((((quality or reception or (bit adj error adj rate)) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and (light adj emitting adj device)) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 09:38 |
| - | 21 | (((((quality or reception or (bit adj error adj rate)) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:14 |
| - | 15269 | ((quality) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:14 |
| - | 719 | ((((quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:15 |
| - | 349 | (((((quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:16 |
| - | 0 | ((((((quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:14 |
| - | 20 | ((((((quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:15 |
| - | 7466 | ((reception) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:15 |
| - | 42 | ((((reception) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:16 |
| - | 1 | (((((reception) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device)) and (wireless adj communication\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:17 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 0 | (((((reception) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device)) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:16 |
| - | 12845 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:23 |
| - | 75 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:16 |
| - | 75 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:18 |
| - | 0 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:18 |
| - | 0 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) and (light adj emitting adj device) and @ad<20001019) and (error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:16 |
| - | 33 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) and (light adj emitting adj device) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:18 |
| - | 2 | ((performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) and (light adj emitting adj device) and (wireless adj communication\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:18 |
| - | 462 | ((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:20 |
| - | 109 | ((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:20 |
| - | 70 | ((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:21 |
| - | 0 | ((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:19 |
| - | 0 | ((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:28 |
| - | 0 | ((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:20 |
| - | 42 | ((reception adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:20 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 0 | ((reception adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:30 |
| - | 7 | ((reception adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:27 |
| - | 0 | (((((reception adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:32 |
| - | 5 | (((((reception adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:32 |
| - | 5 | ((reception adj performance) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:29 |
| - | 4 | ((reception adj performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:23 |
| - | 0 | (((((reception adj performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019) and (wireless adj communication\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:28 |
| - | 0 | (((((reception adj performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019) and (wireless) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:28 |
| - | 0 | ((reception adj performance) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:28 |
| - | 2 | ((performance adj reception) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:31 |
| - | 349 | ((error adj rate) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:30 |
| - | 4 | ((error adj rate) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:32 |
| - | 1 | ((audio adj performance) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:32 |
| - | 0 | ((audio adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:34 |
| - | 2 | ((digital adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:32 |
| - | 29 | ((audio adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:34 |
| - | 16 | ((audio adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:20 |

| | | | | |
|---|-------|--|---|---------------------|
| - | 1992 | ((audio adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:35 |
| - | 5 | ((audio adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:35 |
| - | 5 | ((audio adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:35 |
| - | 106 | ((wireless adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:35 |
| - | 8 | ((wireless adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 10:35 |
| - | 6 | ((wireless adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (light adj emitting adj device)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:47 |
| - | 0 | ((wireless adj signal) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:46 |
| - | 38898 | receiver and indicator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:16 |
| - | 414 | (receiver and indicator) and ((bit adj error adj rate) or (strength)) near indicator) and (light or graphic\$1) and (signal adj strength adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:19 |
| - | 5 | ((receiver and indicator) and ((bit adj error adj rate) or (strength)) near indicator) and (light or graphic\$1) and (signal adj strength adj indicator)) and (packet adj error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:18 |
| - | 10 | ((receiver and indicator) and ((bit adj error adj rate) or (strength)) near indicator) and (light or graphic\$1) and (signal adj strength adj indicator)) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:18 |
| - | 3 | ((receiver and indicator) and ((bit adj error adj rate) or (strength)) near indicator) and (light or graphic\$1) and (signal adj strength adj indicator)) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:19 |
| - | 0 | 348/570.ccls. and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:32 |
| - | 9 | ("4935814" "5287115" "5289178" "5371550" "5436675" "5483690" "5574509" "5603107" "5749046").PN. | USPAT | 2003/12/17 11:33 |
| - | 34 | (receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate)) and (wireless adj communication\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 11:47 |
| - | 20 | ((receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate)) and (wireless adj communication\$1)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 12:03 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 0 | ((receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate)) and (wireless adj communication\$1)) and @ad<20001019.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:38 |
| - | 2 | 6466832.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 12:03 |
| - | 41 | receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:12 |
| - | 33 | (receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate)) and (processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:27 |
| - | 18 | ((receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate)) and (processor and memory)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:17 |
| - | 0 | ((((receiver and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) and (packet adj error adj rate)) and (processor and memory)) and @ad<20001019) and ((performance adj indicator\$1) and (quality adj level) and (error adj rate)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:16 |
| - | 414 | (receiver and indicator) and (((bit adj error adj rate) or (strength)) near indicator) and (light or graphic\$1)) and (signal adj strength adj indicator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:16 |
| - | 205 | 700/94.ccls. and (processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:16 |
| - | 0 | (700/94.ccls. and (processor and memory)) and ((receiver and indicator) and (((bit adj error adj rate) or (strength)) near indicator) and (light or graphic\$1)) and (signal adj strength adj indicator)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:16 |
| - | 0 | (700/94.ccls. and (processor and memory)) and ((performance adj indicator\$1) and (quality adj level) and (error adj rate)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:16 |
| - | 193 | 370/328.ccls. and (processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:16 |
| - | 0 | ((370/328.ccls. and (processor and memory)) and @ad<20001019) and ((audio adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:20 |
| - | 0 | ((370/328.ccls. and (processor and memory)) and @ad<20001019) and (audio adj speaker\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:20 |
| - | 94 | (370/328.ccls. and (processor and memory)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:23 |
| - | 210 | 700/250-257.ccls. and (processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:23 |
| - | 176 | (700/250-257.ccls. and (processor and memory)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:38 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 0 | ((700/250-257.ccls. and (processor and memory)) and @ad<20001019) and (receiver and (wireless adj communication\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:23 |
| - | 24 | ((700/250-257.ccls. and (processor and memory)) and @ad<20001019) and (receiver) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:23 |
| - | 12 | ("4829570" "5272525" "5319716" "5349386" "5410735" "5491839" "5581617" "5625881" "5666658" "5673323" "5832024" "6023459").PN. | USPAT | 2003/12/17 18:25 |
| - | 8 | (((((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:26 |
| - | 4 | (((((signal adj quality) adj (display\$3 or indicat\$3 or level\$1 or intensity))) and (wireless adj communication\$1)) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction))) and (processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:34 |
| - | 12 | ("4829570" "5272525" "5319716" "5349386" "5410735" "5491839" "5581617" "5625881" "5666658" "5673323" "5832024" "6023459").PN. | USPAT | 2003/12/17 18:31 |
| - | 12 | ("4829570" "5272525" "5319716" "5349386" "5410735" "5491839" "5581617" "5625881" "5666658" "5673323" "5832024" "6023459").PN. | USPAT | 2003/12/17 18:31 |
| - | 4 | (audio adj speaker\$1) with (receiver and processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:37 |
| - | 0 | (wireless adj audio adj speaker\$1) with (receiver and processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:37 |
| - | 0 | (wireless adj speaker\$1) with (receiver and processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:38 |
| - | 136 | (wireless adj communication\$1) with (receiver and processor and memory) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:38 |
| - | 57 | ((wireless adj communication\$1) with (receiver and processor and memory)) and @ad<20001019 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 18:38 |
| - | 2 | ((wireless adj communication\$1) with (receiver and processor and memory)) and @ad<20001019) and ((cyclic adj redundancy adj code or (crc)) and (forward adj error adj correction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 19:21 |
| - | 2 | 5699365.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 19:35 |
| - | 0 | 371/40.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/12/17 19:35 |